



CVV VEHICLE WEIGH-IN-MOTION CLASSIFIER CONTROLLER

THE WEIGHT IS OVER! Cardinal Scale's CVW Weigh-In-Motion Controller offers the features you've been looking for. The CVW can be used for either vehicle classification or for in-motion weighing and classification. It was designed to work with Kistler LINEAS quartz-piezo sensors to function as a ASTM 1318-09 Type III in-motion scale. If all you need is classification, it can do that, too. Just look at the features and see if you don't agree:

- Up to two lanes of classification and weigh-in-motion
- Removable micro-SD card holds up to 16 GB of data and can be purchased almost anywhere
- 12 to 24 VDC power from battery, solar panels, or AC power supply
- 10/100 MB/sec Ethernet TCPIP socket communication, UDP loop messages, password protected web page setup and diagnostics
- Mini USB device connection allows communication with a laptop or PC

- Two RS232 serial ports (Local and Remote)
- Various output formats are supported for all communications ports: Cardinal vehicle format with or without lane number, axle or wheel weights, PrePass 9 or 13 axle formats, loop messages, and detail messages
- Configurable limits, classification, and bridge formula tables







Freescale Kinetis 96MHZ 32-bit
4 each bipolar analog inputs 4 each binary inputs
4 channel 14-bit high speed
Ethernet, USB device, two RS232
12 – 24 VDC
Micro SD up to 16G
-22° to 162° F / -30° to 72° C
5 to 95%
5.1 in W x 4.7 in H x 1.6 in D / 13.0 cm W x 11.9 cm H x 4.1 cm D
0.5 lb / 0.2 kg
1 year
Real time clock with battery backup Field updatable firmware using a standard USB cable and laptop DIN rail mounting and plug in connectors for easy installation and maintenance Expansion connector to connect to Cardinal C-Box classifier/additional I/O (future)

Cardinal Scale reserves the right to improve, enhance or modify features and specifications without prior notice. All registered trademarks are the property of their respective owners.

Cardinal Scale Manufacturing Co.

203 E. Daugherty, Webb City, MO 64870 USA Ph: 417-673-4631 or 800-441-4237 • Fax: 417-673-5001 wimscales.com

SOLD BY: